


# SMPRE

Precast Concrete Accessories Strong in Manufacture of Precast Accessories



**SMPRE™--Safety, Reliable and Enduring Structures!**



E-MAIL: [INFO@SIMENPRECAST.COM](mailto:INFO@SIMENPRECAST.COM)  
WEBSITE: [WWW.SIMENPRECAST.COM](http://WWW.SIMENPRECAST.COM)



## Cast-in Lifting Loops (SCL)


Ref.- No.	Wireφ MM	Length MM	Weight Kg/100Pcs	W.L.L KN
SCL008-210	6	210	8.5	8
SCL012-225	7	225	11.0	12
SCL016-235	8	235	15.4	16
SCL020-270	9	270	21.5	20
SCL025-310	10	310	30.5	25
SCL040-340	12	340	49.5	40
SCL052-365	14	365	72.5	52
SCL063-380	16	380	99.5	63
SCL080-440	18	440	144.5	80
SCL100-515	20	515	208.5	100
SCL125-570	22	570	279.5	125
SCL160-605	24	605	394.5	160
SCL200-730	28	730	589.5	200
SCL250-780	30	780	826.2	250
SCL280-780	32	780	827.5	280
SCL320-870	34	870	1030.6	320

※7\*19,1770Mpa High Strength Wire Rope.  
 ※Length According to Requirement.  
 ※Safety Factor:3.

## Bent Cast-in Lifting Loops (SBL)

Ref.- No.	Wireφ MM	Length MM	Weight Kg/100Pcs	W.L.L KN
SBL008-150	6	150	19.0	8
SBL016-150	8	150	34.0	16
SBL025-150	10	150	51.0	25
SBL025-180	10	180	53.0	25
SBL040-160	12	160	76.0	40
SBL040-230	12	230	84.0	40
SBL052-230	14	230	115.0	52
SBL063-230	16	230	151.0	63
SBL080-230	18	230	230.0	80


※7\*19,1770Mpa High Strength Wire Rope.  
 ※Length According to Requirement.  
 ※Safety Factor:3.




Spherical Anchor System



Spread Anchor System



Threaded Anchor System



Fixing Socket System



Wire Rope Connecting



Cast-in System

# Cast-in System

Spherical Anchor System

## Fastening Plate (SFP)

Ref.- No.	Length MM	Plate MM	Weight Kg/Pcs	Packing Pcs
SFP050-100	68	50*100	0.42	2000
SFP100-100	68	100*100	0.82	1000
SFP100-150	70	100*150	1.39	1000
SFP150-150	162	150*150	2.66	500
SFP100-200	162	100*200	2.43	500
SFP200-200	162	200*200	4.72	200
SFP250-250	165	250*250	8.31	100
SFP100-300	165	100*300	4.48	200
SFP200-300	165	200*300	8.15	100
SFP300-300	165	300*300	11.54	100

※Plain, Electro-galvansied and Hot-dip Galcanised is Available.  
 ※Q235B and Stainless Steel is Available.  
 ※Length Can Be Customized.



Spread Anchor System

Threaded Anchor System

Fixing Socket System

Wire Rope Connecting

Cast-in System

## Utility Anchor(SVA)

Ref.- No.	Length MM	Weight Kg/Pcs	Packing Pcs	W.L.L T
SVA-08	134	0.21	100	0.8
SVA-18	152	0.24	100	1.8
SVA-20	181	0.29	50	2.0
SVA-35	173	0.47	50	3.5
SVA-50	188	0.58	30	5.0
SVA-75	254	0.80	20	7.5

※Plain, Electro-galvansied and Hot-dip Galcanised is Available.  
 ※CM490, 20Mn2, Q345D and Stainless Steel is Available.  
 ※Length Can Be Customized.  
 ※Safety Factor:3.



## R Anchor (SRA)

Ref.- No.	Length MM	Weight Kg/100 Pcs	Packing Pcs	W.L.L T
SRA-007-152	152	9.00	200	0.7
SRA-014-165	165	15.90	100	1.4
SRA-021-178	178	25.00	100	2.1
SRA-034-228	228	44.00	50	3.4
SRA-034-280	280	59.00	30	3.4

※Plain, Electro-galvansied and Hot-dip Galcanised is Available.  
 ※CM490, 20Mn2, Q345D and Stainless Steel is Available.  
 ※Length Can Be Customized.  
 ※Safety Factor:3.

